







EXAM: Chinese Consulate: Covid Nucleic Acid Test+Certificate+Consent Form+Portal+IgG/IgM Screening Test

Result: SARS-COV2 RNA is not Detected

Report : Negative

Principle:

SARS-CoV-2 PCR is a Qualitative Test. The Viral RNA is isolated and Reverse transcribed into cDNA and amplified using Specific Primer Probes for ORF 1 ab and the specific conserved sequence of coding nucleo-capsid protein N gene. Internal control is co-amplified to avoid false negative result.

CERTIFICATE:

Please proceed with your travel arrangements, carry this test certificate along with necessary travel documents to allow you to check-in at the airport and to show it upon arrival at your final airport destination. Dr Essa Laboratories wishes you a safe flight.

Test Name	Results	Normal Ranges	
SARS-COV-2 antibody IgG	(0.34)	< 1.1 AU / mL Negative	> 1.1 AU / mL Positive
SARS-COV-2 antibody IgM	(1.2)	< 1.0 AU / mL Negative	> 1.0 AU / mL Positive

Remarks:

- O Antibodies test to COVID-19 is not sole diagnostic test. The results for COVID-19 antibody test needs to be interpreted in conjunction with the patient's medical history and clinical findings.
- A negative result does not eliminate the possibility of SARS-CoV2 infection, particularly in those who have been in contact with the virus less than 14 days before testing
- On The test will show negative results in following conditions: The titre of the novel antibodies in the sample lower than minimum detection limit of the test or novel coronavirus antibody has not appeared at the time of sample collection.

Nasopharyngeal/Oropharyngeal Swab

FOR PASSENGERS TRAVELLING TO THE PEOPLE'S REPUBLIC OF CHINA ONLY

THIS IS A PRE-FLIGHT TEST REPORT

Prof. Dr. Farhan Essa Abdu<mark>ll</mark>ah MBBS, MPhil, PhD. (Microbiology) Prof Dr. Saeed Ahmed Khan

Dr. Shaad Essa Abdullah American board of medicine Dr. Nihal Essa Abdullah American board of medicine

Dr. Falzan Naqvi

Dr. Blial Ahmed Khan

PhD PhD

Op.

Date: 31/08/2021 05:19:33 PM

Page: 1